
THE QUALITY IMPROVEMENT ASSOCIATE PRIMER

© by Quality Council of Indiana - All rights reserved



TEL: (800) 660-4215

qci@qualitycouncil.com

<http://www.qualitycouncil.com>

WITH A LITTLE HELP FROM MY FRIENDS.

JOHN LENNON/PAUL McCARTNEY

Acknowledgments

We thank our friends and professional associates for their assistance, particularly John Breckline, Tim Brenton, Jack Cohen, Dion Gregory, Dr. Frank E. Hutchison, Diana Magnetti, Soly Paterson, Robert Quinn, Suresh Lulla, and Mirian Dodson who helped with this text.

We would appreciate any comments regarding improvement and errata. It is our concern to be accurate.

**Bill Wortman
Quality Council of Indiana
602 West Paris Avenue
West Terre Haute, IN 47885
TEL: (800) 660-4215
TEL: (812) 533-4215
FAX: (812) 533-4216
qci@qualitycouncil.com
<http://www.qualitycouncil.com>**

Fourth Edition - February, 2014

000

About the Author:

Bill L. Wortman

Bill Wortman is the CEO of Quality Council of Indiana – a quality publishing firm located in Terre Haute, Indiana. He is a Senior Member of ASQ, former Chairman of Section 0919, and former Deputy Director of Region 9. Mr. Wortman currently holds eight ASQ Certifications and has conducted certification training in six certification areas. Mr. Wortman has a B.S. in Metallurgical Engineering from N.C. State University. He worked most of his professional life in the aluminum industry in a variety of technical and production management positions. Mr. Wortman has been author, co-author, or editor for more than 42 quality books and training CDs.

Contributing Authors

Glenn Gee

Glenn Gee is the Corporate Quality Engineer for Bway Corp., Cincinnati, Ohio. Glenn previously worked as a Manufacturing Extension Director in the state of Indiana, advising over 300 companies on such diverse issues as lean production, quality, economic issues, strategic planning, marketing, finances, and product innovation. Glenn has taught ASQ section review classes for the CQE, CCT, and CMQ/OE. He holds six ASQ certifications. Glenn has a B.S. in Industrial Engineering from Purdue University and an M.S. in Industrial Technology from Indiana State University. Glenn is a Registered Professional Engineer and is a Senior Member of ASQ.

Suresh Lulla

Suresh Lulla is Managing Director of Qimpro Consultants Pvt. Ltd., an organization he established in 1987 to facilitate integration of quality into business strategy. Qimpro is located in Mumbai (Bombay) India. Mr.Lulla has also established Qimpro College and Qimpro Standards Organization.

Wesley R. Richardson

Wesley R. Richardson is the Quality Knowledge Manager at Quality Council of Indiana. In this capacity he writes, edits, and reviews materials created and published by QCI. He has over 35 years of quality management experience, including a commercial metallurgical testing laboratory, a medical device manufacturer, and a tungsten carbide products manufacturing company. Wes has a B.S. in Metallurgy from Massachusetts Institute of Technology, an M.S. in Metallurgy from Case Western Reserve University, and an M.B.A. from the University of Kentucky. Wes is a Senior Member of ASQ and has twelve ASQ Certifications.

CQIA Primer Contents

<p>I. CERTIFICATION OVERVIEW I-1</p> <p style="padding-left: 20px;">CQIA EXAM I-3</p> <p style="padding-left: 20px;">CQIA BODY OF KNOWLEDGE I-7</p> <p>II. QUALITY CONCEPTS II-1</p> <p style="padding-left: 20px;">QUALITY DEFINED II-2</p> <p style="padding-left: 40px;">QUALITY TERMS II-4</p> <p style="padding-left: 20px;">QUALITY PLAN II-9</p> <p style="padding-left: 20px;">QUALITY PRINCIPLES II-11</p> <p style="padding-left: 40px;">QUALITY POLICIES II-12</p> <p style="padding-left: 40px;">STRATEGIC QUALITY GOALS II-13</p> <p style="padding-left: 40px;">TACTICAL QUALITY GOALS II-14</p> <p style="padding-left: 40px;">QUALITY MATURITY II-15</p> <p style="padding-left: 20px;">ORGANIZATIONAL QUALITY STEPS II-17</p> <p style="padding-left: 20px;">EMPLOYEE INVOLVEMENT II-20</p> <p style="padding-left: 40px;">INDIVIDUAL INVOLVEMENT II-20</p> <p style="padding-left: 40px;">EMPLOYEE EMPOWERMENT II-21</p> <p style="padding-left: 40px;">QUALITY OF WORK LIFE II-23</p> <p style="padding-left: 20px;">SYSTEMS AND PROCESSES II-25</p> <p style="padding-left: 40px;">SIPOC II-28</p> <p style="padding-left: 20px;">VARIATION II-33</p> <p style="padding-left: 40px;">SYSTEM VARIATION II-33</p> <p style="padding-left: 40px;">SPECIAL VS COMMON CAUSE II-35</p> <p style="padding-left: 40px;">SOURCES OF VARIABILITY II-37</p> <p style="padding-left: 20px;">REFERENCES II-39</p> <p>III. QUALITY BENEFITS & PHILOSOPHIES III-1</p> <p style="padding-left: 20px;">BENEFITS OF QUALITY III-2</p> <p style="padding-left: 40px;">STAKEHOLDER GROUPS III-2</p> <p style="padding-left: 40px;">STAKEHOLDER QUALITY BENEFITS III-4</p> <p style="padding-left: 40px;">BALDRIGE CRITERIA III-7</p> <p style="padding-left: 20px;">QUALITY PHILOSOPHIES III-9</p> <p style="padding-left: 40px;">PHILIP CROSBY III-10</p> <p style="padding-left: 40px;">W. EDWARDS DEMING III-16</p> <p style="padding-left: 40px;">JOSEPH M. JURAN III-26</p> <p style="padding-left: 40px;">COMPARISONS III-34</p> <p style="padding-left: 40px;">WALTER A. SHEWHART III-38</p> <p style="padding-left: 40px;">KAORU ISHIKAWA III-39</p> <p style="padding-left: 20px;">REFERENCES III-41</p> <p>IV. TEAM ROLES & RESPONSIBILITIES IV-1</p> <p style="padding-left: 20px;">TEAM PURPOSE IV-2</p> <p style="padding-left: 20px;">VALUE OF TEAMS IV-3</p> <p style="padding-left: 20px;">TYPES OF TEAMS IV-4</p> <p style="padding-left: 40px;">SYNOPSIS OF TEAM APPLICATIONS IV-7</p> <p style="padding-left: 20px;">ROLES AND RESPONSIBILITIES IV-8</p> <p style="padding-left: 40px;">SPONSOR/CHAMPION ROLE IV-9</p> <p style="padding-left: 40px;">LEADER ROLE IV-9</p> <p style="padding-left: 40px;">FACILITATOR ROLE IV-10</p> <p style="padding-left: 40px;">TEAM MEMBER ROLE IV-12</p> <p style="padding-left: 20px;">MEASUREMENT OF PERFORMANCE IV-13</p> <p style="padding-left: 20px;">REFERENCES IV-16</p> <p>V. TEAM FORMATION & DYNAMICS V-1</p> <p style="padding-left: 20px;">INITIATING TEAMS V-2</p> <p style="padding-left: 20px;">TEAM BUILDING V-3</p> <p style="padding-left: 20px;">TEAM ACTIVITIES V-4</p> <p style="padding-left: 20px;">TEAM CHARTER V-6</p> <p style="padding-left: 20px;">TEAM GUIDELINES V-7</p> <p style="padding-left: 20px;">TEAM MEETING STRUCTURE V-8</p> <p style="padding-left: 20px;">REWARD & RECOGNITION V-10</p> <p style="padding-left: 20px;">SELECTING TEAM MEMBERS V-12</p> <p style="padding-left: 40px;">TEAM SIZE V-12</p> <p style="padding-left: 40px;">TEAM DIVERSITY V-13</p> <p style="padding-left: 20px;">TEAM STAGES V-14</p> <p style="padding-left: 20px;">TEAM CONFLICT V-17</p> <p style="padding-left: 40px;">COMMON TEAM PROBLEMS V-18</p> <p style="padding-left: 40px;">GROUPTHINK V-19</p> <p style="padding-left: 40px;">CONFLICT RESOLUTION V-21</p> <p style="padding-left: 20px;">TEAM DECISION MAKING V-24</p> <p style="padding-left: 20px;">REFERENCES V-26</p>	<p>VI. CONTINUOUS IMPROVEMENT VI-1</p> <p style="padding-left: 20px;">BRAINSTORMING VI-2</p> <p style="padding-left: 20px;">PDCA VI-3</p> <p style="padding-left: 20px;">AFFINITY DIAGRAMS VI-5</p> <p style="padding-left: 20px;">QUALITY COSTS VI-7</p> <p style="padding-left: 40px;">COST CATEGORIES VI-9</p> <p style="padding-left: 40px;">COST BASES VI-15</p> <p style="padding-left: 20px;">AUDITS VI-19</p> <p style="padding-left: 40px;">TYPES OF AUDITS VI-20</p> <p style="padding-left: 40px;">AUDIT RESPONSIBILITIES VI-25</p> <p style="padding-left: 40px;">AUDIT PREPARATION/EXECUTION VI-27</p> <p style="padding-left: 40px;">AUDIT REPORT VI-28</p> <p style="padding-left: 40px;">AUDIT TERMS VI-29</p> <p style="padding-left: 20px;">REFERENCES VI-32</p> <p>VII. PROCESS IMPROVEMENT VII-1</p> <p style="padding-left: 20px;">SIX SIGMA VII-2</p> <p style="padding-left: 40px;">DMAIC PROCESS VII-4</p> <p style="padding-left: 40px;">SIX SIGMA TRAINING VII-6</p> <p style="padding-left: 40px;">SIX SIGMA ROLES VII-7</p> <p style="padding-left: 40px;">SIX SIGMA PROJECT MGMT VII-10</p> <p style="padding-left: 20px;">LEAN VII-11</p> <p style="padding-left: 40px;">LEAN GLOSSARY VII-11</p> <p style="padding-left: 40px;">5S VII-13</p> <p style="padding-left: 40px;">KAIZEN VII-14</p> <p style="padding-left: 40px;">NON VALUE ADDED VII-15</p> <p style="padding-left: 40px;">CONTINUOUS FLOW VII-17</p> <p style="padding-left: 40px;">MISTAKE PROOFING VII-18</p> <p style="padding-left: 40px;">KANBAN VII-20</p> <p style="padding-left: 40px;">CYCLE TIME/VALUE STREAM VII-22</p> <p style="padding-left: 40px;">SMED VII-28</p> <p style="padding-left: 20px;">BENCHMARKING VII-31</p> <p style="padding-left: 20px;">IMPROVEMENT VII-34</p> <p style="padding-left: 40px;">ROOT CAUSE ANALYSIS VII-38</p> <p style="padding-left: 20px;">REFERENCES VII-41</p> <p>VIII. QUALITY IMPROVEMENT TOOLS VIII-1</p> <p style="padding-left: 20px;">CAUSE-AND-EFFECT DIAGRAMS VIII-2</p> <p style="padding-left: 20px;">FLOW CHARTS VIII-4</p> <p style="padding-left: 20px;">DATA TYPES VIII-7</p> <p style="padding-left: 20px;">CHECK SHEETS VIII-8</p> <p style="padding-left: 20px;">HISTOGRAMS VIII-11</p> <p style="padding-left: 20px;">PARETO DIAGRAMS VIII-16</p> <p style="padding-left: 20px;">SCATTER DIAGRAMS VIII-20</p> <p style="padding-left: 20px;">CONTROL CHARTS VIII-24</p> <p style="padding-left: 40px;">VARIABLES VIII-27</p> <p style="padding-left: 40px;">ATTRIBUTES VIII-35</p> <p style="padding-left: 40px;">INTERPRETATION VIII-43</p> <p style="padding-left: 20px;">PROBLEM SOLVING STEPS VIII-51</p> <p style="padding-left: 20px;">REFERENCES VIII-52</p> <p>IX. CUSTOMER-SUPPLIER RELATIONS IX-1</p> <p style="padding-left: 20px;">INT. & EXT. CUSTOMERS & SUPPLIERS IX-2</p> <p style="padding-left: 40px;">INTERNAL CUSTOMERS IX-3</p> <p style="padding-left: 40px;">EXTERNAL CUSTOMERS IX-7</p> <p style="padding-left: 40px;">INTERNAL SUPPLIERS IX-11</p> <p style="padding-left: 40px;">EXTERNAL SUPPLIERS IX-13</p> <p style="padding-left: 20px;">CUSTOMER SATISFACTION IX-21</p> <p style="padding-left: 40px;">SATISFACTION SURVEYS IX-25</p> <p style="padding-left: 40px;">CUSTOMER EXPECTATIONS IX-28</p> <p style="padding-left: 40px;">CUSTOMER SERVICE IX-31</p> <p style="padding-left: 40px;">QUALITY FUNCTION DEPLOYMENT IX-36</p> <p style="padding-left: 20px;">SUPPLIER SURVEILLANCE IX-41</p> <p style="padding-left: 40px;">SUPPLY CHAIN MANAGEMENT IX-43</p> <p style="padding-left: 40px;">SUPPLIER PERFORMANCE MEASURES IX-45</p> <p style="padding-left: 20px;">REFERENCES IX-48</p> <p>X. APPENDIX X-1</p> <p style="padding-left: 20px;">INDEX X-3</p> <p style="padding-left: 20px;">ANSWERS X-17</p>
--	--

CQIA Primer Question Contents

<u>Primer Section</u>	<u>Questions</u>			
	<u>% CQIA</u>	<u>Exam</u>	<u>Primer</u>	<u>CD ROM</u>
I. Certification Overview				
II. Quality Concepts	15%	15	60	150
III. Quality Benefits	15%	15	60	150
IV. Team Roles & Responsibilities	~8%	~8	32	80
V. Team Formation & Dynamics	~12%	~12	48	120
VI. Continuous Improvement	~10%	~10	40	100
VII. Process Improvement	~10%	~10	40	100
VIII. Quality Improvement Tools	~10%	~10	40	100
IX. Customer-Supplier Relations	20%	20	80	200
X. Appendix / Index				
Total	100%	100	400	1000

A full explanation for all questions is available through QCI in a *CQIA Solutions Text*.

If the student feels that additional questions would be of benefit, QCI offers a CD for sale with 600 additional (different) questions. These questions can be taken as a simulated test or in a variety of different formats. The tests are timed and are summarized by category upon completion. Explanations are provided.

Alignment Comparison B/T the *CQIA Primer* & ASQ's BOK

Primer	II	III	IV	V	VI	VII	VIII	IX
ASQ BOK	I. A	I. B & C	II. A & B	II. C	III. A	III. B	III. C	IV.

**QUALITY IS ABOUT PASSION
AND PRIDE**

T. J. PETERS/N. AUSTIN (1986)

Quality Concepts

Quality Concepts (Basics) are presented in the following topic areas:

- Quality Defined
- Quality Plan
- Employee Involvement
- Systems and Processes
- Variation

Quality Defined *

The awareness and pursuit of product and service quality has gained an unprecedented status in American companies. Stated as such, no one is against quality. However, the concept of “quality” is broad and open to varied interpretations. The tough part is defining quality, establishing clear cut quality standards and enforcing adherence to those standards in a consistent manner.

Let's begin with some definitions of quality:

- In most American companies “Beauty is in the eye of the beholder,” so quality is perceived by individuals in their own way.
- Dr. W. Edwards Deming (1986)⁴ said that “Quality control does not mean achieving perfection. It means the efficient production of quality that the market expects.”
- Dr. Joseph M. Juran (1992)¹⁵ defines quality as “Fitness for use.”
- Philip Crosby (1979)³ defines quality as “Conformance to requirements.”
- Dr. Armand V. Feigenbaum (1991)⁶ calls quality “The total composite product and service characteristics of marketing, engineering, manufacturing and maintenance through which the product and service in use will meet the expectations of the customer.”
- The American Society for Quality defines quality as “The totality of features and characteristics of a product that bear on its ability to satisfy a given need.”

* Portions of this Section came from the *CMQ Primer* (Gee, 2013)⁸, *CQT Primer* (Wortman, 2011)²² and *CQE Primer* (Wortman, 2012)²³.

Determinants of Quality

With any quality definition the needs of a customer must be understood and satisfied. Customers expect a product or service to match or exceed their expectations, supplied on-time, at a price they can afford to pay.

Listed below are some of the attributes and descriptors that consumers associate with quality:

Products

Performance
Features
Reliability
Conformance
Durability
Serviceability
Aesthetics
Perceived quality

Services

Reliability
Responsiveness
Competence
Access/Courtesy
Communication
Credibility
Security/Safety
Knowing the customer

The quality of a product or service should meet high quality standards for:

Reliability The product should perform for its rated life. The service should be predictable.

Serviceability The product should be repaired or replaced in an easy or convenient way. This is a composite product and service attribute.

Maintainability The repair of the product should be easy. Maintainability also impacts service.

Safety The product or service should be safe and provide security where applicable.

Attractiveness The customer may desire this attribute.

The above factors, broken down into more defined elements, may lead to strategic quality goals and plans. Some of these will be adopted for use as part of the strategic business plan. The organization's performance will be affected by the implementation of these goals.

Quality Terms and Definitions

The following terms and definitions are pertinent to understanding and communicating quality. They are paraphrased from the *Quality Dictionary* by Tracy Omdahl (2010)¹⁸, ISO 8402 (1994)¹³ and *Glossary and Tables for Statistical Quality Control* by ASQ (1993)¹.

Attribute	A characteristic or property that is appraised in terms of whether it does or does not exist, with respect to a given requirement.
Audit Standard	An authentic description of essential characteristics of audits which reflects current thought and practice.
Auditing Organization	A unit or function that carries out audits through its employees. This organization may be a department of the auditee, client, or an independent third-party.
Batch	A definite quantity of product or material produced under conditions that are considered uniform.
Capability	The ability to perform designated activities and to achieve results which fulfill specified requirements.
Certification	The authoritative act of documenting compliance with agreed requirements.
Characteristic	A property that helps to differentiate between items of a given sample or population. The difference may be either quantitative (by variables) or qualitative (by attributes).
Compliance	A judgment that a product or service meets the requirements of a specific standard.
Contract	An accepted order. The agreed requirements between a supplier and customer transmitted by any means.
Corrective Action	An action taken to eliminate the causes of an existing nonconformity, defect or other undesirable situation, to prevent recurrence.
Defect	The nonfulfillment of intended usage requirements. The departure or absence of one or more quality characteristics from intended usage requirements.

Quality Terms and Definitions (Continued)

Dependability	The collective term used to describe the availability of performance and its influencing factors: reliability performance, maintainability performance and maintenance support performance.
Design Review	A formal, documented, comprehensive and systematic examination of a design to evaluate the design requirements and the capability of the design to meet the requirement for quality and to identify problems and propose solutions.
Deviation	Written authorization, granted prior to the manufacture of an item, to depart from a particular performance or design requirement of a contract or specification, for a specific number of units or period of time.
Discrepancy	A failure to meet the specified requirement, supported by evidence. (Other words used interchangeably: non-conformance, deficiency, finding.)
Documentation	The use of documentary evidence; the documents used.
Inspection	The process of measuring, examining, testing, gaging or otherwise comparing a unit with requirements.
100% Inspection	Inspection in which specified characteristics of each unit of product are examined or tested to determine conformance with requirements.
Inspection Level	A feature of a sampling scheme relating the size of the sample to that of the lot. Selection of an inspection level may be based on simplicity, unit inspection cost, inspection destructiveness or lot consistency.
Inspection Record	Recorded data concerning inspection results.
Instructions	Detailed, written, or spoken directions given in regard to what is to be done.

Quality Terms and Definitions (Continued)

ISO	The International Organization for Standardization.
Item	An object, tangible or intangible, that can be individually described and considered. Same as unit or individual.
Lot	A definite quantity of a product or material accumulated under conditions that are considered uniform for sampling purposes.
Management Review	A formal quality evaluation, by top management, of the status and adequacy of the quality system in relation to quality policy and objectives.
Measuring and Test Equipment	All devices used to measure, gage, test, inspect, diagnose, or otherwise examine materials, supplies, and equipment to determine compliance with technical requirements.
Nonconforming Unit	A unit of product or service containing at least one nonconformity.
Nonconformity	A departure of a quality characteristic from its intended level or state that occurs with a severity sufficient to cause an associated product or service not to meet a specification requirement.
Objective Evidence	Information which can be verified, based on facts and obtained through observation, measurement, or test.
Organization	A company, corporation, firm, enterprise or institution, or part thereof (whether incorporated or not, public or private) that has its own function(s) and administration.
Precision	The closeness of agreement between randomly selected individual measurements or test results.
Preventive Action	An action taken to eliminate the causes of a potential nonconformity, defect or other undesirable situation, to prevent occurrence.